

LUCAS-CIDE™ #222 RTU

SANITIZER DISINFECTANT

VIRUCIDAL DATA:

CONTACT TIME

SARS-CoV-2 (COVID 19 Virus)

60 SECONDS

Avian Influenza A Virus (H3N2)	2 minutes
Avian Influenza Virus, Type A	2 minutes
Bovine Viral Diarrhea Virus (BVDV)	5 minutes
Canine Parvovirus	10 minutes
Feline Calicivirus (FCV)	30 seconds
Hepatitis A Virus (HAV)	10 minutes
Hepatitis B Virus (HBV)	5 minutes
Hepatitis C Virus (HCV)	5 minutes
Human Immunodeficiency Virus, HIV-1 (associated with AIDS)	1 minute
Human Coronavirus	2 minutes
Norovirus (Norwalk Virus)	30 seconds
Pandemic 2009 H1N1 Influenza A Virus	2 minutes
Paramyxovirus (Mumps)	3 minutes
Poliovirus Type 1	10 minutes
Rabies Virus	30 seconds
Rhinovirus Type 39	3 minutes
Rotovirus	3 minutes

BACTERICIDAL DATA:

Staphylococcus aureus	3 minutes
Salmonella (choleraesuis) enteric	3 minutes
Pseudomonas aeruginosa	3 minutes
Community Associated Methicillin Resistant Staphylococcus aureus (CA-MRSA)	3 minutes
Corynebacterium ammoniagenes	3 minutes
Enterococcus faecium	3 minutes
Escherichia coli	3 minutes
Escherichia coli O157:H7	3 minutes
Listeria monocytogenes	3 minutes
Methicillin resistant Staphylococcus aureus (MRSA)	3 minutes
Methicillin resistant Staphylococcus epidermidis (MRSE)	3 minutes
Salmonella (typhi) enterica	3 minutes
Streptococcus pyogenes	3 minutes
Vancomycin intermediate resistant Staphylococcus aureus (VISA)	3 minutes
Yersinia enterocolitica	3 minutes

TUBERCULOCIDAL DATA:

Test Method: AOAC Confirmative In Vitro Test for Determining Tuberculocidal Activity
Test Organism: Mycobacterium bovis BCG
Test Conditions: ready-to-use (RTU), organic soil load, 5 minute contact time

MILDEW FUNGISTATIC DATA:

Test Method: EPA Hard Surface Mildew Fungistatic Test
Test Organism: *Aspergillus niger*
Test Conditions: Glazed ceramic tile substrates
Conclusions: LUCAS-CIDE RTU™ demonstrated fungistatic activity against *Aspergillus niger* according to criteria established by the U.S. EPA for registration and labeling of a disinfectant product as a fungistat.

LUCAS-CIDE™ #222 RTU
is registered on
List N: Disinfectants for Use
Against SARS-CoV-2 (COVID-19)
with a contact time of 60 seconds.

EPA Registration number: 1839-83

Lucas Products Corporation • 419.476.5992

sales@lucasproducts.com



Proudly made in the USA.

REV.09.17.2020